

# PHP Version 5.2.5

[www.entropy.ch](http://www.entropy.ch) Release 6



Universal Binary i386/x86\_64/ppc7400/ppc64 - this machine runs: x86\_64

<b>System</b>	Darwin Michael-Tysons-MacBook-Pro.local 9.3.0 Darwin Kernel Version 9.3.0: Fri May 23 00:49:16 PDT 2008; root:xnu-1228.5.18~1/RELEASE_I386 i386
<b>Build Date</b>	Jan 24 2008 00:26:01
<b>Configure Command</b>	'./configure' '--disable-dependency-tracking' '--prefix=/usr/local/php5' '--with-apxs2=/usr/sbin/apxs' '--with-config-file-scan-dir=/usr/local/php5/php.d' '--with-openssl=/usr' '--with-zlib=/usr' '--with-zlib-dir=/usr' '--with-gd' '--with-ldap' '--with-xmlrpc' '--enable-exif' '--enable-soap' '--enable-sqlite-utf8' '--enable-wddx' '--enable-ftp' '--enable-sockets' '--with-bz2=/usr' '--enable-zip' '--enable-pcntl' '--enable-shmop' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--enable-memory-limit' '--enable-mbstring' '--enable-bcmath' '--enable-calendar' '--with-ming=shared,/usr/local/php5' '--with-mssql=shared,/usr/local/php5' '--with-mhash=shared,/usr/local/php5' '--enable-memcache' '--with-imap=../imap-2007' '--with-kerberos=/usr' '--with-imap-ssl=/usr' '--with-libxml-dir=shared,/usr/local/php5' '--with-xsl=shared,/usr/local/php5' '--with-gettext=/usr/local/php5' '--with-curl=shared,/usr/local/php5' '--with-png-dir=/usr/local/php5' '--with-jpeg-dir=/usr/local/php5' '--enable-gd-native-ttf' '--with-freetype-dir=/usr/local/php5' '--with-mysql=shared,/usr/local/php5' '--with-mysqli=shared,/usr/local/php5/bin/mysqli_config' '--with-pdo-mysql=shared,/usr/local/php5' '--with-pgsql=shared,/usr/local/php5' '--with-pdo-pgsql=shared,/usr/local/php5' '--with-mcrypt=shared,/usr/local/php5'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/usr/local/php5/lib
<b>Loaded Configuration File</b>	(none)
<b>Scan this dir for additional .ini files</b>	/usr/local/php5/php.d
<b>additional .ini files parsed</b>	/usr/local/php5/php.d/10-extension_dir.ini, /usr/local/php5/php.d/50-extension-curl.ini, /usr/local/php5/php.d/50-extension-mcrypt.ini, /usr/local/php5/php.d/50-extension-mhash.ini, /usr/local/php5/php.d/50-extension-ming.ini, /usr/local/php5/php.d/50-extension-mssql.ini, /usr/local/php5/php.d/50-extension-mysql.ini, /usr/local/php5/php.d/50-extension-mysqli.ini, /usr/local/php5/php.d/50-extension-pdo_mysql.ini, /usr/local/php5/php.d/50-extension-pdo_pgsql.ini, /usr/local/php5/php.d/50-extension-pgsql.ini, /usr/local/php5/php.d/50-extension-xsl.ini
<b>PHP API</b>	20041225
<b>PHP Extension</b>	20060613
<b>Zend Extension</b>	220060519
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	zip, php, file, data, http, ftp, compress.bzip2, compress.zlib, https, ftps
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, convert.iconv.*, bzip2.*, zlib.*

## PHP Credits

### Configuration

#### PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
expose_php	On	On
extension_dir	/usr/local/php5/lib/php/extensions/no-debug-non-zts-20060613	/usr/local/php5/lib/php/extensions/no-debug-non-zts-20060613
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On

ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/php5/lib/php	./usr/local/php5/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	18000	30
max_input_nesting_level	64	64
max_input_time	-1	-1
memory_limit	64M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

## apache2handler

<b>Apache Version</b>	Apache/2.2.8 (Unix) mod_ssl/2.2.8 OpenSSL/0.9.7i DAV/2 PHP/5.2.5
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	you@example.com
<b>Hostname:Port</b>	phoenix:0
<b>User/Group</b>	www(70)/70
<b>Max Requests</b>	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 300 - Keep-Alive: 5
<b>Virtual Server</b>	Yes
<b>Server Root</b>	/usr
<b>Loaded Modules</b>	core prefork http_core mod_so mod_authn_file mod_authn_dbm mod_authn_anon mod_authn_dbd mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_dbm mod_authz_owner mod_authz_default mod_auth_basic mod_auth_digest mod_cache mod_disk_cache mod_mem_cache mod_dbd mod_dumpio mod_ext_filter mod_include mod_filter mod_deflate mod_log_config mod_log_forensic mod_logio mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_ident mod_usertrack mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_balancer mod_ssl mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_cgi mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imagemap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_bonjour2 mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	Value
HTTP_AUTHORIZATION	<i>no value</i>
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_3; en-au) AppleWebKit/525.18 (KHTML, like Gecko) Version/3.1.1 Safari/525.20
HTTP_ACCEPT	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	en-au
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	install=4043462af1e6e969481fa2914c7b6458
HTTP_CONNECTION	keep-alive
HTTP_HOST	phoenix
PATH	/usr/bin:/bin:/usr/sbin:/sbin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.8 (Unix) mod_ssl/2.2.8 OpenSSL/0.9.7i DAV/2 PHP/5.2.5
SERVER_NAME	phoenix
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/Users/mike/Sites/phoenix
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/Users/mike/Sites/phoenix/magento/test.php
REMOTE_PORT	50266
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>

<b>REQUEST_URI</b>	/magento/test.php
<b>SCRIPT_NAME</b>	/magento/test.php

## HTTP Headers Information

HTTP Request Headers	
<b>HTTP Request</b>	GET /magento/test.php HTTP/1.1
<b>User-Agent</b>	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_3; en-au) AppleWebKit/525.18 (KHTML, like Gecko) Version/3.1.1 Safari/525.20
<b>Accept</b>	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
<b>Accept-Language</b>	en-au
<b>Accept-Encoding</b>	gzip, deflate
<b>Cookie</b>	install=4043462af1e6e969481fa2914c7b6458
<b>Connection</b>	keep-alive
<b>Host</b>	phoenix
HTTP Response Headers	
<b>X-Powered-By</b>	PHP/5.2.5
<b>Keep-Alive</b>	timeout=5, max=100
<b>Connection</b>	Keep-Alive
<b>Transfer-Encoding</b>	chunked
<b>Content-Type</b>	text/html

## bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bz2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.4, 20-Dec-2006

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## curl

<b>cURL support</b>	enabled
---------------------	---------

## date

date/time support	enabled
"Olson" Timezone Database Version	2007.9
Timezone Database	internal
Default timezone	Australia/ACT

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.30
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.20 2007/06/10 20:12:45 iliaa Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

## filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
-------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.3.5
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPG Support</b>	enabled
<b>PNG Support</b>	enabled
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	libiconv
<b>iconv library version</b>	unknown

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imap

<b>IMAP c-Client Version</b>	2000
<b>SSL Support</b>	enabled
<b>Kerberos Support</b>	enabled

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## ldap

<b>LDAP Support</b>	enabled
---------------------	---------

<b>RCS Version</b>	\$Id: ldap.c,v 1.161.2.3.2.11 2007/07/17 09:09:42 jani Exp \$
<b>Total Links</b>	0/unlimited
<b>API Version</b>	3001
<b>Vendor Name</b>	OpenLDAP
<b>Vendor Version</b>	20327

## libxml

<b>libXML support</b>	active
<b>libXML Version</b>	2.6.30
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	4.4.4
<b>Multibyte regex (oniguruma) backtrack check</b>	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

<b>mcrypt support</b>	enabled
<b>Version</b>	2.5.8
<b>Api No</b>	20021217
<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

## memcache

---



memcache support	enabled
Active persistent connections	0
Revision	\$Revision: 1.94 \$

Directive	Local Value	Master Value
memcache.allow_failover	1	1
memcache.chunk_size	8192	8192
memcache.default_port	11211	11211
memcache.hash_function	crc32	crc32
memcache.hash_strategy	standard	standard
memcache.max_failover_attempts	20	20

## mhash

MHASH support	Enabled
MHASH API Version	20060101

## ming

Ming SWF output library	enabled
Version	0.3.0

## mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

## mysql

MySQL Support	enabled
Active Persistent Links	0

Active Links	0
Client API version	5.0.45
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-lusr/local/php5/include/mysql
MYSQL_LIBS	-Lusr/local/php5/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysqli

Mysqli Support	enabled
Client API library version	5.0.45
Client API header version	5.0.45
MYSQLI_SOCKET	/tmp/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7i 28 Sep 2006

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.3 2007-08-28

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## PDO

<b>PDO support</b>	<b>enabled</b>
<b>PDO drivers</b>	sqlite2, sqlite, mysql, pgsql

## pdo\_mysql

<b>PDO Driver for MySQL, client library version</b>	<b>5.0.45</b>
---	---------------

## pdo\_pgsql

<b>PDO Driver for PostgreSQL</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.2.5
<b>Module version</b>	1.0.2
<b>Revision</b>	\$Id: pdo_pgsql.c,v 1.7.2.11.2.1 2007/01/01 09:36:05 sebastian Exp \$

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
<b>PECL Module version</b>	(bundled) 1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.2 2007/03/23 14:30:00 wez Exp \$
<b>SQLite Library</b>	3.3.17

## pgsql

<b>PostgreSQL Support</b>	<b>enabled</b>
<b>PostgreSQL(libpq) Version</b>	8.2.5
<b>Multibyte character support</b>	enabled
<b>SSL support</b>	disabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

## posix

<b>Revision</b>	\$Revision: 1.70.2.3.2.16 \$
-----------------	------------------------------

## Reflection

<b>Reflection</b>	<b>enabled</b>
<b>Version</b>	\$Id: php_reflection.c,v 1.164.2.33.2.47 2007/10/28 13:47:14 iliaa Exp \$

## session

Session Support	enabled
Registered save handlers	files user memcache sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## shmop

shmop support	enabled
---------------	---------

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35 \$
Schema support	enabled

## soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1

soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

## sockets

Sockets Support	enabled
-----------------	---------

## SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.9 2007/05/19 17:58:22 iliaa Exp \$
SQLite Library	2.8.17
SQLite Encoding	UTF-8

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

## standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

## sysvmsg

<b>sysvmsg support</b>	enabled
<b>Revision</b>	\$Revision: 1.20.2.3.2.6 \$

## tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

## wddx

<b>WDDX Support</b>	enabled
<b>WDDX Session Serializer</b>	enabled

## xml

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.6.30

## xmlreader

<b>XMLReader</b>	enabled
------------------	---------

## xmlrpc

<b>core library version</b>	xmlrpc-epi v. 0.51
<b>php extension version</b>	0.51
<b>author</b>	Dan Libby
<b>homepage</b>	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
<b>open sourced by</b>	Epinions.com

## xmlwriter

<b>XMLWriter</b>	enabled
------------------	---------

## xsl

<b>XSL</b>	enabled
<b>libxslt Version</b>	1.1.22
<b>libxslt compiled against libxml Version</b>	2.6.30
<b>EXSLT</b>	enabled
<b>libexslt Version</b>	1.1.22

## zip

<b>Zip</b>	enabled
<b>Extension Version</b>	\$Id: php_zip.c,v 1.1.2.38 2007/08/06 22:02:32 bject Exp \$
<b>Zip version</b>	2.0.0

Libzip version	0.7.1
----------------	-------

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
sysvsem
sysvshm

## Environment

Variable	Value
PATH	/usr/bin:/bin:/usr/sbin:/sbin

## PHP Variables

Variable	Value
_REQUEST["install"]	4043462af1e6e969481fa2914c7b6458
_COOKIE["install"]	4043462af1e6e969481fa2914c7b6458
_SERVER["HTTP_AUTHORIZATION"]	<i>no value</i>
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_3; en-au) AppleWebKit/525.18 (KHTML, like Gecko) Version/3.1.1 Safari/525.20
_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-au
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	install=4043462af1e6e969481fa2914c7b6458
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_HOST"]	phoenix
_SERVER["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.8 (Unix) mod_ssl/2.2.8 OpenSSL/0.9.7l DAV/2 PHP/5.2.5
_SERVER["SERVER_NAME"]	phoenix
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	/Users/mike/Sites/phoenix
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/Users/mike/Sites/phoenix/magento/test.php

<code>_SERVER["REMOTE_PORT"]</code>	50266
<code>_SERVER["GATEWAY_INTERFACE"]</code>	CGI/1.1
<code>_SERVER["SERVER_PROTOCOL"]</code>	HTTP/1.1
<code>_SERVER["REQUEST_METHOD"]</code>	GET
<code>_SERVER["QUERY_STRING"]</code>	<i>no value</i>
<code>_SERVER["REQUEST_URI"]</code>	/magento/test.php
<code>_SERVER["SCRIPT_NAME"]</code>	/magento/test.php
<code>_SERVER["PHP_SELF"]</code>	/magento/test.php
<code>_SERVER["REQUEST_TIME"]</code>	1213936796
<code>_SERVER["argv"]</code>	Array ( )
<code>_SERVER["argc"]</code>	0
<code>_ENV["PATH"]</code>	/usr/bin:/bin:/usr/sbin:/sbin

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).